

## EAST Search History

| Ref # | Hits | Search Query                                                                                                                                                                                     | DBs                                                                     | Default Operator | Plurals | Time Stamp          |
|-------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------|---------|---------------------|
| L3    | 2    | "6552997".pn.                                                                                                                                                                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/02/23<br>13:10 |
| L4    | 1    | (MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address same (gateway router proxy) same (determin\$ identify\$) near4 (LAN (local adj area adj network)) and I3 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/02/23<br>13:10 |
| L5    | 3    | "7114070".pn.                                                                                                                                                                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/02/23<br>13:44 |
| L6    | 2    | "6046992".pn.                                                                                                                                                                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/02/23<br>13:45 |
| L7    | 3    | "6807542".pn.                                                                                                                                                                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/02/23<br>13:46 |

|     |    |                                                                                                                         |                                                                         |    |    |                     |
|-----|----|-------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----|----|---------------------|
| L8  | 1  | 10/520736                                                                                                               | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>13:46 |
| L9  | 2  | "6782474".pn.                                                                                                           | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>13:47 |
| L10 | 1  | 10/846614                                                                                                               | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>13:47 |
| L11 | 1  | 11/925628                                                                                                               | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>13:47 |
| L12 | 32 | (home default) near4 (gateway router proxy) same (determin<br>\$5 identify\$5) near4 (LAN (local adj area adj network)) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>13:49 |
| L13 | 8  | (home default) near4 (gateway router proxy) same ((peer-to-<br>peer) (peer-peer)) same authenticat\$5                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>13:52 |

|     |       |                                                                                                           |                                                                        |    |    |                     |
|-----|-------|-----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|----|----|---------------------|
| L14 | 135   | (home default) near4 (gateway router proxy) and ((peer-to-peer) (peer-peer)) same authenticat\$5          | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>14:09 |
| L15 | 12601 | (home default) near4 (gateway router proxy) saem MACand ((peer-to-peer) (peer-peer)) same authenticat\$5  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>14:10 |
| L16 | 11718 | (home default) near4 (gateway router proxy) saem MAC and ((peer-to-peer) (peer-peer)) same authenticat\$5 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>14:10 |
| L17 | 23    | (home default) near4 (gateway router proxy) same MAC and ((peer-to-peer) (peer-peer)) same authenticat\$5 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>14:10 |
| L18 | 42    | (home default) near4 (gateway router proxy) same MAC same authenticat\$5                                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>14:12 |
| L19 | 1540  | ((MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address same filter      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>14:18 |

|     |        |                                                                                                                     |                                                                        |    |    |                     |
|-----|--------|---------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|----|----|---------------------|
| L20 | 1      | L18 and I19                                                                                                         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>14:19 |
| L21 | 72     | (home default) near4 (gateway router proxy) same MAC and I19                                                        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>14:19 |
| L22 | 387607 | (MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address saem destination            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>14:28 |
| L23 | 9817   | (MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address same destination            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>14:28 |
| L24 | 7774   | (MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address near7 destination           | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>14:28 |
| L26 | 0      | (MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) adj address near7 destination adj address | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>14:30 |

|     |      |                                                                                                                         |                                                                        |    |    |                     |
|-----|------|-------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|----|----|---------------------|
| L27 | 6757 | (MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near2 address near4 destination near2 address | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>14:30 |
| L28 | 6757 | (MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near2 address near4 destination near2 address | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>14:31 |
| L29 | 7587 | (MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near2 address same destination near2 address  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>14:31 |
| L30 | 6766 | (MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near2 address near4 destination               | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>14:31 |
| L31 | 4495 | (MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near2 address same destination adj address    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>14:31 |
| L32 | 3508 | (MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) adj address same destination adj address      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>14:32 |

|     |     |                                                                                                                              |                                                                        |    |    |                     |
|-----|-----|------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|----|----|---------------------|
| L33 | 490 | (home default) near4 (gateway router proxy) and l32                                                                          | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>14:32 |
| L34 | 93  | (home default) near4 (gateway router proxy) same l32                                                                         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>14:32 |
| L35 | 47  | (home default) near4 (gateway router proxy) same (MAC link ethernet hardware)near4 address same authenticat\$5               | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>15:35 |
| L36 | 2   | "6,914,879".pn.                                                                                                              | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>16:06 |
| L37 | 330 | (home default) near4 (gateway router proxy)and (determin\$5 identify\$5) near4 (LAN (local adj area adj network))            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>16:23 |
| L38 | 62  | (MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near2 address same destination adj address and l37 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/23<br>16:24 |

|    |      |                                                                                          |                                                                         |    |     |                     |
|----|------|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----|-----|---------------------|
| S1 | 405  | request\$5 same MAC same address same (gateway router) and (internal home) near3 network | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/03/19<br>14:00 |
| S2 | 451  | request\$5 same MAC same address same (gateway router) and (internal home) near3 network | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/19<br>14:00 |
| S3 | 1    | 10/530075                                                                                | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/19<br>14:34 |
| S4 | 964  | associat\$5 same MAC adj address same (router gateway)                                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/19<br>14:50 |
| S5 | 2665 | default near3 (router gateway)                                                           | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/19<br>15:01 |
| S6 | 77   | default near3 (router gateway) near10 MAC adj address                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/19<br>15:02 |

|     |       |                                                                                                                                               |                                                                         |    |     |                     |
|-----|-------|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----|-----|---------------------|
| S7  | 11    | ("5802316"   "5987524"   "6047325"   "6115545"  <br>"6151635"   "6167444"   "6178455"   "6195425"   "6574664"<br>  "6665305"   "6763023").PN. | US-PGPUB;<br>USPAT; USOCR                                               | OR | OFF | 2008/03/19<br>15:47 |
| S8  | 25175 | 370/254,255,351,352,389,390,392,401,432.ccls.                                                                                                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2008/03/20<br>09:00 |
| S9  | 2     | "6990534".pn.                                                                                                                                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/20<br>09:04 |
| S10 | 2     | "20050015619"                                                                                                                                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/20<br>09:09 |
| S11 | 148   | default near3 (router gateway) same MAC adj address and<br>S8                                                                                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/20<br>09:12 |
| S12 | 108   | default near3 (router gateway) same MAC adj address and<br>"709"/\$.ccls.                                                                     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/03/20<br>09:13 |



|     |     |                                                                                           |                                                                         |    |    |                     |
|-----|-----|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----|----|---------------------|
| S13 | 50  | default near3 (router gateway) same MAC adj address and home same server same network     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/20<br>09:33 |
| S14 | 13  | default near3 (router gateway) same MAC adj address and intranet same server same network | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/20<br>09:35 |
| S15 | 782 | intranet adj server same network                                                          | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/20<br>09:37 |
| S16 | 4   | intranet adj server same (home adj network)                                               | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/20<br>09:38 |
| S17 | 0   | intranet adj server same (default near3 (router gateway))                                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/20<br>09:38 |
| S18 | 8   | intranet adj server and (default near3 (router gateway))                                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/03/20<br>09:39 |

|     |    |                                                                                                                                                                    |                                                                         |    |    |                     |
|-----|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----|----|---------------------|
| S19 | 2  | "20020161918"                                                                                                                                                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/18<br>08:45 |
| S20 | 2  | "6046992".pn.                                                                                                                                                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/18<br>09:37 |
| S21 | 4  | determin\$5 near\$5 identical near\$5 network same (MAC (media<br>adj access adj control) link-layer ethernet) adj address                                         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/18<br>10:23 |
| S22 | 53 | default near\$3 (router gateway) same compar\$5 same (MAC<br>(media adj access adj control) link-layer ethernet) adj<br>address                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/18<br>10:25 |
| S23 | 2  | default near\$3 (router gateway) same access near\$5 home adj<br>server and compar\$5 same (MAC (media adj access adj<br>control) link-layer ethernet) adj address | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/18<br>10:41 |
| S24 | 2  | default near\$3 (router gateway) same access near\$5 home adj<br>server                                                                                            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/18<br>10:52 |

|     |    |                                                                                                                                                                     |                                                                         |    |    |                     |
|-----|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----|----|---------------------|
| S25 | 7  | access near5 home adj server and compar\$5 same (MAC (media adj access adj control) link-layer ethernet) adj address                                                | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/18<br>10:52 |
| S26 | 3  | "6807542".pn.                                                                                                                                                       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/18<br>10:54 |
| S27 | 0  | compar\$5 same source same (MAC (media adj access adj control) link-layer ethernet laYER -2) adj address same default same (gateway proxy router (edge adj router)) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/18<br>11:01 |
| S28 | 0  | compar\$5 same source same (MAC (media adj access adj control) link-layer ethernet laYER -2) adj address AND default same (gateway proxy router (edge adj router))  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/18<br>11:01 |
| S29 | 0  | compar\$5 same source adj address same default same (gateway proxy router (edge adj router)) adj address                                                            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/18<br>11:02 |
| S30 | 18 | compar\$5 same source adj address same (gateway proxy router (edge adj router)) adj address                                                                         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/18<br>11:02 |

|     |     |                                                                                                                                                                        |                                                                        |    |    |                     |
|-----|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|----|----|---------------------|
| S31 | 36  | device-to-device same authenticat\$5                                                                                                                                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/18<br>11:09 |
| S32 | 121 | default near2 (router proxy gateway stub) same authenticat\$5 same address                                                                                             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/18<br>11:16 |
| S33 | 0   | default near2 (router proxy gateway stub) with ((layer-2 adj address)(ethernet adj address)(link-layer adj address) (MAC adj adress)) same authenticat\$5 same address | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/18<br>13:05 |
| S34 | 2   | default near2 (router proxy gateway stub) same ((layer-2 adj address)(ethernet adj address)(link-layer adj address) (MAC adj adress)) same authenticat\$5 same address | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/18<br>13:06 |
| S35 | 134 | default near2 (router proxy gateway stub) same (Local adj area adj network)                                                                                            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/18<br>13:13 |
| S36 | 6   | default near2 (router proxy gateway stub) same (Local adj area adj network) same MAC adj address                                                                       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>BM_TDB | OR | ON | 2009/02/18<br>13:17 |

|     |     |                                                                                           |                                                                         |    |    |                     |
|-----|-----|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----|----|---------------------|
| S37 | 451 | default near2 (router proxy gateway stub) same MAC adj address                            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/18<br>13:20 |
| S38 | 18  | default near2 (router proxy gateway stub) same source adj address same MAC adj address    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/18<br>13:20 |
| S39 | 24  | default near2 (router proxy gateway stub) same (extranet internet) same intranet          | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/18<br>14:02 |
| S40 | 128 | default near3 (router gateway) same MAC adj address and (local home) adj (server network) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/18<br>14:42 |
| S41 | 105 | router same analyz\$5 same port same configuration                                        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/18<br>15:08 |
| S42 | 1   | router same analyz\$5 same port same configuration same bandwidth                         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/18<br>15:08 |

|     |     |                                                  |                                                                         |    |    |                     |
|-----|-----|--------------------------------------------------|-------------------------------------------------------------------------|----|----|---------------------|
| S43 | 1   | 10/846614                                        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>07:54 |
| S44 | 0   | accept\$5 near5 packet near5 default adj gateway | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>07:56 |
| S45 | 0   | accept\$5 near5 MAC near5 default adj gateway    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>07:56 |
| S46 | 75  | MAC near5 default adj gateway                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>07:56 |
| S47 | 0   | (refus\$5)near5 packet near5 default adj gateway | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>08:03 |
| S48 | 117 | packet near5 default adj gateway                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>08:03 |

|     |     |                                                                                                                                                                                       |                                                                         |    |    |                     |
|-----|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----|----|---------------------|
| S49 | 0   | (accept refus\$5) near5 packet near5 default adj (router gateway)                                                                                                                     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>08:07 |
| S50 | 201 | packet near5 default adj (router gateway)                                                                                                                                             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>08:07 |
| S51 | 9   | authentica\$6 near5 default adj (router gateway)                                                                                                                                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>08:46 |
| S52 | 1   | packet near5 default adj (router gateway) and device-to-device same authentica\$5                                                                                                     | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>08:55 |
| S53 | 6   | (home default) adj (router gateway) and (inter-device inter-host inter-network) same authentica\$5                                                                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>08:56 |
| S54 | 30  | (MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address and (inter-device inter-host inter-network device-device device-to-device) same authentica\$5 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>09:10 |

|     |      |                                                                                                                                                                                             |                                                                         |    |    |                     |
|-----|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----|----|---------------------|
| SS5 | 74   | (MAC (media adj access adj control) (ethernet) link-layer layer-2 layer2) near4 address same (gateway router proxy) same (determin\$5 identify\$5) near4 (LAN (local adj area adj network)) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>09:23 |
| SS6 | 2    | "6631137".pn.                                                                                                                                                                               | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>09:26 |
| SS7 | 125  | authentica\$6 same layer-2 layer2 near5 domain same (router gateway)                                                                                                                        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>09:35 |
| SS8 | 0    | authentica\$6 same (layer-2 layer2) near5 domain same (router gateway)                                                                                                                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>09:36 |
| SS9 | 1036 | authentica\$6 same domain same (router gateway)                                                                                                                                             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>09:36 |
| SS0 | 18   | authentica\$6 same intra-domain same (router gateway)                                                                                                                                       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>09:36 |



|     |   |               |                                                                         |    |    |                     |
|-----|---|---------------|-------------------------------------------------------------------------|----|----|---------------------|
| S61 | 5 | "2002080800"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>10:22 |
| S62 | 0 | "2002/080800" | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>10:22 |
| S63 | 3 | "2002080800"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>10:23 |
| S64 | 4 | "2002052972"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>10:26 |
| S65 | 2 | "2002052972"  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>10:26 |
| S66 | 2 | "6405248".pn. | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>10:28 |

|     |   |               |                                                                         |    |    |                     |
|-----|---|---------------|-------------------------------------------------------------------------|----|----|---------------------|
| S67 | 2 | "6047325".pn. | US-PGPUB;<br>USPAT;<br>USOOP; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/02/23<br>11:03 |
|-----|---|---------------|-------------------------------------------------------------------------|----|----|---------------------|

2/ 23/ 2009 4:45:28 PM

C:\Documents and Settings\apatel3\My Documents\EAST\Workspaces\10520975.wsp